FILE 'MEDILIE, EMPACE, EL CIS, MARLOC, MAD ERLIT, COLFRAR H' ENTEREL AT LE 1:39 CN UP FEB AID. 24AI385 & ANTIHODER LIEV & PROTUBERINGE 306743 S CAVITY 14 8 EZ (BA) Ċ. 9 DUP REM L4 (5 DUFNICATES REMOVED) 99288 3 LIGHT CHAIN OR FL 4374 S L6 (10A) (SIMILAR OR SAME OR IDENTICAL) 1.0 1.7 1 6% S L1 (P; L) ...9 2676 S L6 (5A) (SIMILAR OR SAME OR IDENTICAL) 693 S L9 (P) L1 4090 & BISPECIFIC OR MULTISPECIFIC 9 & L11 (F) L10 3 DUP REM L12 (6 DUPLICATES REMOVED) 765109 S IDENTICAL 1.14 978 S 1114 (EA) 16 115 233 S L15 AND (L1 OR L11) L16 75 DUP REM L16 (155 DUPLICATES REMOVED) 6 S L15 AND L11 1 DUP REM L18 (5 DUPLICATES BEMOVED) 1.18 1.19

FILE THIME! BUILDED AT L.: LL. - M. - FEE J. A.

| ₽ . | # | Hits | Search Text | DBs | Time Stamp | Comment. | Error Definition | 田 H O S |
|-----|------|--|------------------|---|----------------------|----------|---------------------|------------------|
| | | 2. 1. 26. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. | .* 6.2 7.5 | USPA US-P GPUB CPUB DERW ENT; TDB | 2002/02/0 8 12:49 | | | , |
| | | 45.4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | USPA USPA USPA GPUB GPUB JPO; TPO; TBM | 2002/02/0 8 12:51 | | | 0 |
| | • •• | : :: :: :: :: :: :: | | USPA US-P US-P GPUB FPO; UPPO; IBM TDB | 2002/02/n 8 12:55 | | 1 | 0 |

| (, 2 == | I | | |
|---------------------|--|---|--|
| Er ro rs | 0 | | |
| Error Definition | | | |
| Comment. | | | |
| Time Stamp | 8 12:55 0 2 / 0 2 / 0 2 / 0 | 2002/02/0 8 12:57 | 2062/02/0 8 13:09 |
| DBs | USPA US-P GPUB GPUB GPUB GPO; UFO; TBM TBM | USPA US-P GPUB FEO; JPO; DERW ENT; TDB | USPA T; US-P GPUB , EFU; UPO; DERW ENT; TBM |
| Search Text | | hours ("same" or | |
| # Hits | 89971 (::` | 3.00 | |
| i H | | | |

| n T | # Hits | Search Text | DBs | Time Stamp | Comment s | Error Definition | 된 가 O N |
|--------|--------|---|---|---|--------------|---------------------|------------|
| ! | | | USPA T; US-P GPUB | (41000) | | | |
| | 1774 | bisperitor or multisperific | DOGE STATE | 2002/02/0 8 13:08 | | | 0 |
| | | | ENT: IBM TDB | | | | |
| | | • | USPA T; US-P GPUB | | | | |
| - | | х :: :: :: :: :: :: :: | EPO; UPO; DERW ENT; TBM | 2002/02/0 | | | 0 |
| | | | USPA T; US-P GPUB | | | | |
| 4. | & | 9. | E D C C C C C C C C C C C C C C C C C C | 2002/02/02/02/03/03/03/03/03/03/03/03/03/03/03/03/03/ | | | 0 |
| - | | | ี มี 1 | 19 | | | |

| ţ¬ | 다 # | Hits | Searc | Search Text | DBs | Time Stamp | Comment s | Error Definition | H H E |
|----|--------|---------|-------|-------------|-----------------------------|--|--------------|---------------------|------------------|
| | | | | | USPA T; US-P GPUB | | | | |
| | | r-4 | | | CFO; CPO; ENT; TBM | 2002/02/0 8 13:19 | | | 0 |
| | | | | | USPA T; US-P GPUB | | | | () () • () |
| | . : | თ :: | | nears s | THEOLES. | 8 13.7 19.7 19.7 19.7 19.7 19.7 19.7 19.7 19 | | | 0 |

```
ANSWER 25 OF ST
                                                        INFLICATE 24
                         MF1, J. INF
     eralidaad MELLINE
7.1
     +93.4949 | Fult Me : 10: 17 0.5.
     Amino acid sequence of a platelot-riming human anti-DMA menegional
     autoantibedy.
     Lameman W W; Forle B; 3 Thwarto E f; Notte B I; Forle B C
C:
     Division of Hematology-Onlogery, New England Medical Center, Boston, MA
. . .
20
    P100D, (1989 Oil) 4 (1) 262-9.
     Journal code: A80; 7603569. 138N: 6006-4971.
     United States
LAIL.
     Journal; Artiste; ("OURNAL AFTIGUE)
LA
    English
    Abridged Index Meditus (ournals: Friority Journals
н 5
HM
    198908
ED
    Entered STN: 19900309
     Last Updated on STN: 19970203
     Entered Medline: 19890830
     . . the variable regions of the heavy and light chains of a human
AB
IgM
     monoplonal platelet-binding autgamtibody have been determined. This
     antibody, HF2-1/17, produced by a human x human hybridoma prepared
     from lymphocytes of a patient with systemic lupus erythematosus and
     thrembodytopenia,. . . light chain is of the VKI subgroup. The heavy
     chain is the expression product of the VH26 germline gene. The
     light chain bears significant homology to
     other immuneglebulins of known primary structure, including WEA, GAL,
HAU,
     HK101, and DEE. These results suggest that HF2-1/17 may be an
autdantibody
     derived with little or no modification from germline genes. A model of
: 200
    antibody symbining site suggests that arginine 24 and arginine 30 in the light shain SCRRS interest with a surface defined by. . .
     Chock Tais: Human; Support, U.S. Style, P.H.S.
     Artin Aria Dear no
      *Antibodies, Monoclonal: GE, genetics
     tAut amt 14 - dest: 明, beset1
       Binding Sites, Antibody
     this a flatesets: iii) comun cay
     immun.glishulins, Heavy-Chain: W., penerica
     immanaglobilins,.
    Antibodies, Month nati; "Anti-antibodies"; " Hinding Witter, Antibody ; " Toront of a long Warlande Beaden;
```

ANSWER 1 OF F MEDIENE 1995346881 MEDIENE agbidevi lubMed II: Mensivi Variable idmain structure of mappalV human light chain len: high homology to the murine light chain Smile 6 was . Huang D B; Chang C H; Ainswirth C; Whisin D; Colombia A; Stevens F J; Schiffer M 113 Center for Mechanistic Biology and Histophinology, Argenne National laboratory, IL 61434, TSA. NC CA 10056 (NCI) nK43767 (NIDOK MOLECULAR IMMUNOLOGY, (1997 (et) 34 (187 1291-34). . 11 Journal Gode: NG1; 7935269. ISSN: 3161 5090. *** FNGLAND: United Kingdom Journal; Artigle; (NOMFNAL ARTICLE) 1AEnglish FS Friority Journals 199808 EM ED Entered STN: 19980820 Last Updated on STN: 19980810 Entered Medline: 19980811 Variable domain structure of kappalW human light chain len: high homology to the murine light chain McPC603. Antibody light chains of the kappa subgroup are the predominant AΒ light chain component in human immune responses and are used almost exclusively in the antibody repertoire of mice. Human kappa light chains comprise four subgroups. To date, all crystallographic

studies of human kappa light chains. . . to a murine light chain and can be expected to facilitate detailed structural comparisons necessary

for effective humanication of murine antibodies.

, ,